



Tubular
EQUIPMENT

Helping people to keep mobile



PHYSIOTHERAPY
OCCUPATIONAL THERAPY
MOBILITY PRODUCTS

8TH EDITION

COMPANY PROFILE

Tubular Equipment Ltd are manufacturers and distributors of a wide range of Mobility Equipment that is made from our factory in Brook Street, Tauranga, New Zealand.

The company has been owned and operated since 1986 by Allan and Maree Sargent. In Dec 2014 Logan Hunter and Beks Metcalfe joined us as partners in the company. We offer New Zealand made products, give great customer service and have a friendly helpful team of people who have a positive 'can do' attitude.

Tubular Equipment Ltd has a large range of Physiotherapy, Occupational Therapy and Hospital equipment available for all ages. Our specialty is our range of adjustable folding and non-folding Walking Frames. All equipment is made of lightweight strong Aluminium or powdercoated Steel tubing and uses 90% New Zealand componentry.

Our New Zealand designed and manufactured Mobility products are built to withstand multiple usage. They have a wide range of adjustments, are functional, versatile, very durable and are easily cleaned.

We supply mobility aids to Aged Care Facilities and Clinics, Rest Homes, Retirement Homes and Hospitals throughout New Zealand and parts of Australia.

Delivery is door to door – ex stock or approximately 3 to 7 days on most products. Accessories and parts are readily available. After sales service and repair work is offered on any type of equipment.














Tubular Equipment Ltd are members of the BUY NEW ZEALAND MADE campaign and will manufacture equipment to suit any special requirements.

We are dedicated to continually improve product design for the benefit of the people and caregivers who use our equipment.

Thank you for your support.

Allan and Maree Sargent, Logan Hunter and Beks Metcalfe

CONTENTS

	WALKING FRAMES (Standard & Folding)	1 – 5
	FOREARM & REHAB FRAMES (Standard & Folding)	6 – 7
	BARIATRIC FOREARM & REHAB FRAMES	8 – 9
	TUBULAR KNEE SCOOTER	10
	BACK STRETCHER	11
	WHEELCHAIRS, CARRIER & COVER	12 – 13
	PAEDIATRIC EQUIPMENT	13 – 18
	WALKING AIDS	17 – 19
	BEDROOM & BATHROOM AIDS	20 – 24
	LIVING AIDS	25 – 28
	HOSPITAL EQUIPMENT (Stands & Tables)	29
	ACCESSORIES (Gas Bottle Holders, Baskets, Trays, Wheels & Tips)	30 – 32
	INDEX	33

EQUIPMENT IS AVAILABLE FOR TRIAL (Physio's and O/T's only)
EQUIPMENT IS ALSO AVAILABLE FOR HIRE IN THE TAURANGA AREA (Wheelchairs, Commodes, Orthopaedic Chairs etc.)
TUBULAR KNEE SCOOTER IS AVAILABLE FOR HIRE NATIONWIDE (see page 10)

ALL ENQUIRIES ARE WELCOME ON OUR FREEPHONE **0800 757 588**

Please Note:

As it is our policy to improve and develop new products in this field, it is not possible to guarantee that the illustrations and data in this brochure are exact descriptions of the products in current production. We reserve the right to amend specifications without prior notice. These products have been designed and manufactured with safety and function in mind. Please consult your healthcare professional.

© No part of this brochure is to be reproduced without written consent of Tubular Equipment Ltd, otherwise legal action will be taken.

WARRANTY

All products manufactured / supplied by Tubular Equipment Ltd carry a 12 month warranty on material and workmanship.





R 1407C / BSKTR 88



R 1407CFA



R 1407CHB / BSKTR 88



R 1407CHBS / BSKTR 88 (no tray)



R 1402G



R 1402G folded



forearm trough



glide feet



front castor



back wheel

ROVER WALKER (R 1400 Series)

FEATURES

- Steel construction powdercoated Maroon colour.
- Lift up brace for easy folding.
- Height adjustable handles with easy to clean moulded handgrips.
- Handbrakes. (optional)
- Non-slip grey rubber feet.
- Large wheels/castors move easily over all surfaces.
- Glide feet.
- Seat, basket and tray combo. (optional extras)
- Forearm troughs are height and width adjustable, secured with clamps and handscrews.
- Padded troughs can be rotated to suit, secured with clamps and handscrews.
- Swivel adjustable handles with moulded easy to clean handgrips.
- Padded vinyl pulpit top is height adjustable.

SPECIFICATIONS

- Height: 74 – 100cm
- Width: 42cm (inside back legs)
- Length: 57cm
- Weight: 5.5kg
- Seat height: 60cm
- Seat width: 39cm
- Seat depth: 24cm
- Wheels: Front – 150mm
Rear – 125mm
- Castors: 125mm (5")
- Glide feet: 22mm
- Max user weight: 170kg

FOREARM TROUGHS

- Height: 87 – 115cm
- Width: 34 – 57cm (between trough centres)
- Trough dimension: 10 x 17.5cm

PULPIT TOP

- Height: 87 – 115cm
- Width: Inner – 40cm
Outer – 58cm
- Length: 33cm

OPTIONS AVAILABLE

Code		max width
R 1402	2 wheels / 2 feet	58cm
R 1402G	2 wheels / 2 glide feet	58cm
R 1403	2 castors / 2 feet	51cm
R 1403G	2 castors / 2 glide feet	51cm
R 1407C	2 castors / 2 wheels	56cm
R 1407CHB	2 castors / 2 wheels / handbrakes	56cm
R 1407CHBS	2 castors / 2 wheels / handbrakes / seat	56cm
BSKTR 88	Basket and tray combo	

To order Pulpit Top or Forearm Troughs – add 'P' or 'FA' to code number e.g. R 1407CFA



AF 1101 / BSKT 88



AF 1102G



AF 1103G



back wheel leg



front castor



glide feet



AF 1107C folded



soft handgrip



AF 1107C / BSKT 88

ALUMINIUM FOLDING WALKER (AF 1100 Series)

FEATURES

- Lightweight aluminium folding frame.
- Lift up brace for easy folding.
- Moulded soft easy to clean handgrips.
- Height adjustable legs with locking button.
- Large wheels/castors move easily over all surfaces.
- Non-slip grey rubber feet.
- Short, tall, and narrow versions available.
- Glide feet.
- Basket and tray combo. (optional extra)

SPECIFICATIONS

- Height:

Standard	79 – 92cm
Short	69 – 82cm
Tall	89 – 102cm
- Width:

Standard	– 61cm
(outside back wheels)	
Narrow	– 56cm
(outside back wheels)	

- Length: 50cm
- Weight: 2.2 – 4.8kg
- Wheels:

Front	– 150mm
Rear	– 125mm
- Castors: 100mm
- Glide feet: 25mm
- Max user weight: 160kg

OPTIONS AVAILABLE

Code

- | | |
|-----------------|--------------------------|
| AF 1101 | 4 feet |
| AF 1102 | 2 wheels / 2 feet |
| AF 1102G | 2 wheels / 2 glide feet |
| AF 1103 | 2 castors / 2 feet |
| AF 1103G | 2 castors / 2 glide feet |
| AF 1107C | 2 castors / 2 wheels |
| BSKT 88 | Basket and tray combo |



BAF 1102G

BARIATRIC ALUMINIUM FOLDING ADJUSTABLE WALKER

(BAF 1100 Series)

FEATURES

- Lightweight **reinforced** aluminium folding frame.
- Lift up brace for easy folding.
- Moulded soft handgrips.
- Height adjustable legs with locking button.
- Larger wheels move easily over all surfaces.
- Non-slip grey rubber feet.
- Glide feet.
- Basket and tray combo. (optional extra)

SPECIFICATIONS

- | | |
|-----------------------------------|-----------|
| • Height: | 80 – 92cm |
| • Width between centre handgrips: | 56cm |
| • Width (outside back frame): | 66cm |

- | | |
|------------------------------|---------------|
| • Width (inside back frame): | 58cm |
| • Length: | 55cm |
| • Weight: | 3.5kg |
| • Wheels: | Front – 175mm |
| • Glide feet: | 25mm |
| • Max user weight: | 250kg |

OPTIONS AVAILABLE

Code

- | | |
|------------------|-------------------------|
| BAF 1102 | 2 wheels / 2 feet |
| BAF 1102G | 2 wheels / 2 glide feet |
| BSKTB 88 | Basket and tray combo |



FWS 58HB6



FWS 58HB8



FWSS 59HB



FWSS 59HB folded



FWS 58HB6 folded

FOLDING WALKER WITH SEAT

FEATURES

- Aluminum construction Blue, Red, Black colour.
- Padded seat with storage bag underneath.
- Locking handbrakes with easy to clean moulded handgrips.
- Large wheels and castors.
- Removable padded back rest.

SPECIFICATIONS AND OPTIONS AVAILABLE

Code	FWS 58HB6	FWS 58HB8	FWSS 59HB
	Adult Size	Adult Size	Small Size
• Height:	84 – 95cm	86 – 96cm	70 – 81.5cm
• Width:	63cm (overall)	61cm (overall)	51cm (overall)
• Seat height:	55cm	55cm	48cm
• Seat width:	32 x 35cm	30 x 36cm	30 x 34cm
• Weight:	7kg	7.8kg	5.8kg
• Wheels:	150mm	200mm	150mm
• Castors:	150mm	200mm	150mm
• Max user weight:	136kg	136kg	136kg

**NOT AVAILABLE****MTW 300***MTW 300
folded***FT 17***FT 17 folded*

METRO WALKER

FEATURES

- Aluminium construction Rose, Black or Bronze colour.
- Lift up folding mechanism.
- Easily folds up for storage in small spaces.
- Urethane wheels and rear glide feet – move easily over all surfaces.
- The most portable walker ever invented – comes with dual side pockets.

SPECIFICATIONS

- Height: 81 – 91cm
- Width: 50cm
- Length: 56cm
- Folded dimension: 10 x 15 x 81cm
- Weight: 3 kg
- Wheels: 100mm
- Max user weight: 110 kg

OPTIONS AVAILABLE

Code

MTW 300 2 wheels / 2 glide feet**(THIS MODEL IS NO LONGER AVAILABLE)**

FOLDING TRI WALKER

FEATURES

- Aluminium construction.
- Large wheels move easily over all surfaces.
- Handbrakes operate on rear wheels.
- Moulded easy to clean handgrips.
- Adjustable height handles.
- Folds together for easy storage/transportation.
- Solid PU wheels.
- Includes PVC bag.

SPECIFICATIONS

- Height: 82 – 88cm
- Width: Open – 62cm
(outside back wheels)
Closed – 22cm
(outside back wheels)
- Length: 65cm
- Weight: 4.5kg
- Wheels: 200mm
- Max user weight: 100kg

OPTIONS AVAILABLE

Code

FT 17 Tri Walker



S 202G / BSKT 88



S 201



S 203



soft handgrip



back wheel leg



front castor



glide feet

STANDARD ADJUSTABLE WALKER

(S 200 Series)

FEATURES

- Lightweight aluminium frame.
- Height adjustable legs with locking button.
- Large wheels/castors move easily over all surfaces.
- Non-slip grey rubber feet.
- Moulded soft easy to clean handgrips.
- Short, tall, and narrow versions available.
- Glide feet.
- Basket and tray combo. (optional extra)

SPECIFICATIONS

- Height: Standard 79 – 92cm
Short 69 – 82cm
Tall 89 – 102cm
- Width: Standard 63cm (outside back wheels)
Narrow 58cm (outside back wheels)
- Length: 50cm
- Weight: 2 – 4kg
- Wheels: Front – 150mm
Rear – 125mm
- Castors: 100mm
- Glide feet: 25mm
- Max user weight: 160kg

OPTIONS AVAILABLE

Code

- | | |
|----------------|--------------------------|
| S 201 | 4 feet |
| S 202 | 2 wheels / 2 feet |
| S 202G | 2 wheels / 2 glide feet |
| S 203 | 2 castors / 2 feet |
| S 203G | 2 castors / 2 glide feet |
| S 207C | 2 castors / 2 wheels |
| BSKT 88 | Basket and tray combo |



RW 907C8P



RW 907C

RW 907C
kitset form

REHAB FOREARM WALKER (RW 900 Series)

FEATURES

- Sturdy steel frame powdercoated Maroon colour.
- Forearm troughs are height and width adjustable, secured with clamps and handscrews.
- Swivel adjustable handles.
- Moulded easy to clean handgrips.
- Padded troughs can be rotated to suit, secured with clamps and handscrews.
- Padded vinyl pulpit top is height adjustable.
- Large wheels/castors move easily over all surfaces.
- Non-slip grey rubber feet.
- Glide feet.
- Basket and/or tray. (optional extra)
- Easy to assemble kitset.

SPECIFICATIONS

- Trough height: 90 – 120cm (RW907C8 95 – 125cm)
- Trough width: 46 – 57cm (between trough centres)
- Trough dimension: 12 x 17.5cm
- Width: 49cm (inside back legs)
- Length: 66cm
- Weight: 10 – 12kg
- Wheels: Front – 150mm
Rear – 125mm (200mm optional)
- Castors: 125mm (200mm optional)
- Glide feet: 22mm
- Max user weight: 200kg

PULPIT TOP

- Height: 90 – 120cm
- Width: Inner – 40cm
Outer – 62cm
- Length: 43cm



front castor



back wheel



glide feet

OPTIONS AVAILABLE

Code		max width
RW 902	2 wheels / 2 feet	63cm
RW 902G	2 wheels / 2 glide feet	63cm
RW 903	2 castors / 2 feet	54cm
RW 903G	2 castors / 2 glide feet	54cm
RW 907C	2 castors / 2 wheels	63cm
RW 907C8	2 (8") castors / 2 (8") wheels	63cm
T 500	Tray	
BSKRW 99	Basket	

To order Pulpit Top – add 'P' to code number e.g. RW 907CP



EFR 1007CP



EFR 1007CB



EFR 1007C



EFR 1007CHB8 / T 500



EFR 1007CHB8 / BSKEFR 99


forearm
trough


F/A trough covered

EASY FOLD REHAB FOREARM WALKER (EFR 1000 Series)

FEATURES

- Sturdy steel frame powdercoated Maroon colour.
- Lift up brace for easy folding.
- Forearm troughs are height and width adjustable, secured with clamps and handscrews.
- Padded troughs can be rotated to suit, secured with clamps and handscrews.
- Forearm trough can have vinyl covers with velcro flaps. (optional extra)
- Padded vinyl pulpit top is height adjustable.
- Swivel adjustable handles with moulded easy to clean handgrips.
- Large wheels/castors move easily over all surfaces.
- Standard handles available. (optional extra)
- Handbrakes can be added to all models.
- Built in hooks to fit basket.
- Non-slip grey rubber feet.
- Glide feet.
- Basket and/or tray. (optional extra)

SPECIFICATIONS

- Length: 63cm
- Trough height: 92 – 120cm (EFR 1007C8 96 – 130cm)
- Trough width: 46 – 67cm (between trough centres)
- Trough dimension: 12 x 17.5cm
- Width: 46cm (inside back legs)



EFR 1007CH folded



cover

- Handle height: 83 – 110cm
- Weight: 9kg
- Wheels: Front – 150mm
Rear – 150mm (200mm optional)
- Castors: 125mm (200mm optional)
- Glide feet: 25mm
- Max user weight: 200kg

PULPIT TOP

- Height: 92 – 120cm
- Width: Inner – 40cm
Outer – 62cm
- Length: 43cm

OPTIONS AVAILABLE


Code		max width
EFR 1002	2 wheels / 2 feet	52cm
EFR 1002G	2 wheels / 2 glide feet	52cm
EFR 1003	2 castors / 2 feet	52cm
EFR 1003G	2 castors / 2 glide feet	52cm
EFR 1007C	2 castors / 2 wheels	62cm
EFR 1007C8	2 (8") castors / 2 (8") wheels	62cm
T 500	Tray	
BSKEFR 99	Basket	

To order Pulpit Top – add 'P' to code number e.g. EFR 1007CP

To order Standard Handles – add 'H' to code number e.g. EFR 1007CH



GFR 1707CHBS / BSKGFR 99



directional lock castors



F/A troughs



F/A trough covered



cover



GFR 1707CB



GFR 1707CHB



GFR 1703G



GFR 1707CP



GFR 1707CH
folded



GFR 1707CH

GIANT REHAB FOREARM WALKER (GFR 1700 Series)

FEATURES

- Sturdy steel frame powdercoated Deep Blue colour.
- Lift up brace for easy folding.
- Forearm troughs are height and width adjustable, made with heavier 25mm gauge steel.
- Padded forearm troughs have a wider opening, with bracing underneath.
- Troughs are height and width adjustable secured with clamps and handscrews. These can be rotated to suit.
- Forearm trough can have vinyl covers with velcro flaps. (optional extra)
- Swivel adjustable handles with moulded easy to clean handgrips.
- Vinyl pulpit top available.
- Standard handles available.
- Padded vinyl seat folds up. (individual model)
- Handbrakes can be fitted to all models.
- Large wheels/castors move easily over all surfaces.
- Directional locking castor. (optional extra)
- Non-slip grey rubber feet.
- Glide feet.
- Basket and/or tray. (optional extra)

SPECIFICATIONS

- Length: 71cm (overall)
- Trough height: 95 – 120cm
- Trough width: 42 – 69cm (between centres)
- Trough dimensions: 12 x 17.5cm
- Width outside: 67cm (overall back wheels)
- Width inside: 55cm (between back legs)
- Width between handles: 54cm
- Standard handle heights: 82 – 115cm

- Weight: 10 – 12kg
- Wheels: 150mm
- Castors: 150mm
- Glide feet: 25mm
- Rubber feet: 25mm
- Max user weight: 250kg

PULPIT TOP

- Height: 95 – 120cm
- Width: Inner – 43cm Outer – 66cm
- Length: 43cm

SEAT

- Height: 55cm
- Width: 24 x 46cm

OPTIONS AVAILABLE

Code

- GFR 1702** 2 wheels / 2 feet
- GFR 1702G** 2 wheels / 2 glide feet
- GFR 1703** 2 castors / 2 feet
- GFR 1703G** 2 castors / 2 glide feet
- GFR 1707C** 2 castors / 2 wheels
- GFR 1707CHBS** 2 castors / 2 wheels / handles / brakes / seat
- T 500** Tray
- BSKGFR 99** Basket

To order Pulpit Top – add 'P' to code number e.g. GFR 1707CP

To order Standard Handles – add 'H' to code number e.g. GFR 1707CH

To order Brakes & Seat – add 'B' & 'S' to code number e.g. GFR 1707CBS



SGFR 1807CHBS



SGFR 1807CHBS
folded



SGFR 1807CH



SGFR 1807C

SUPER GIANT REHAB FOREARM WALKER (SGFR 1800 Series)

FEATURES

- Sturdy steel frame powdercoated Royal Blue colour.
- Lift up brace for easy folding.
- Forearm troughs are height and width adjustable, made with heavier 25mm gauge steel.
- Padded forearm troughs have a wider opening, with bracing underneath.
- Troughs are height and width adjustable secured with clamps and handscrews. These can be rotated to suit.
- Forearm trough can have vinyl covers with velcro flaps. (optional extra)
- Swivel adjustable handles with moulded easy to clean handgrips.
- Standard handles available.
- Padded vinyl seat folds up. (individual model)
- Handbrakes can be fitted to all models.
- Large wheels/castors move easily over all surfaces.
- Non-slip grey rubber feet.
- Glide feet.
- Basket and/or tray. (optional extra)

SPECIFICATIONS

- Length: 71cm (overall)
- Trough height: 95 – 120cm
- Trough width: 57 – 81cm (between centres)
- Trough dimensions: 12 x 17.5cm
- Width outside: 73cm (overall back wheels)
- Width inside: 62cm (between back legs)
- Width between handles: 64cm



directional
lock castors



F/A troughs



F/A trough covered



cover



handbrake

- Standard handle heights: 82 – 115cm
- Weight: 13 – 16kg
- Wheels: 150mm
- Castors: 150mm
- Glide feet: 25mm
- Rubber feet: 25mm
- Max user weight: 350kg

PULPIT TOP

Please enquire P.O.A

SEAT

- Height: 57cm
- Width: 24 x 57cm

OPTIONS AVAILABLE

Code

- SGFR 1802** 2 wheels / 2 feet
- SGFR 1802G** 2 wheels / 2 glide feet
- SGFR 1803** 2 castors / 2 feet
- SGFR 1803G** 2 castors / 2 glide feet
- SGFR 1807C** 2 castors / 2 wheels
- SGFR 1807CHBS** 2 castors / 2 wheels / handles / brakes / seat
- T 500** Tray
- BSKSGFR 99** Basket

To order Pulpit Top – add 'P' to code number e.g. SGFR 1807CP

To order Standard Handles – add 'H' to code number e.g. SGFR 1807CH



KS 38

The Tubular Knee Scooter is ideal for people with **non weight bearing injuries below the knee** such as – broken legs/ankles, achilles tendon injuries, lower leg or foot surgeries.



Tubular Knee Scooter folded



TUBULAR KNEE SCOOTER

FEATURES

- Steel frame powdercoated SILVER colour with crutch holder.
- Height adjustable handles with lock on brakes.
- Height adjustable knee trough with soft knee pad, can be positioned left or right to suit non weight bearing leg.
- Compact design with fold down handles and moulded easy to clean handgrips.
- Folds easy for transportation.
- Large front wheel, rubber bearing back wheels, turns easily in small tight spaces.
- Back axle can be moved from left or right depending on the non-weight bearing leg requirements.
- Just as stable as four wheeled models.
- Comes with drink bottle/cup holder (Liquid Holster®) and basket with clear plastic insert.
- Quality NZ Made product (not imported), built for durability and longevity.

SPECIFICATIONS

- Handle height: 80 – 100cm
- Handle width: 45cm
- Length: 95cm (overall)
- Width: 38cm (outside wheels)
- Trough height: 37 – 50cm
- Wheels: 300mm (front), 200mm (rear)
- Weight: 8kg
- Max user weight: 160kg

OPTIONS AVAILABLE

Code

- | | |
|--------|----------------------|
| KS 38 | Tubular Knee Scooter |
| LQH 53 | Liquid Holster® |



Crutch holder brackets

DISCLAIMER

1. When using the Tubular Knee Scooter please exercise CAUTION when turning sharply to prevent tipping or overbalancing.
2. DO NOT overload the basket with heavy objects as this may cause the Tubular Knee Scooter to tip when turning.



LQH 53

PRODUCT AVAILABLE FOR HIRE

(Hire may incur freight charges, please enquire)
info@tubularequipment.co.nz





Tubular Knee Scooter Junior folded



The Tubular Knee Scooter Junior is ideal for kids with **non weight bearing injuries below the knee** such as – broken legs/ankles, achilles tendon injuries, lower leg or foot surgeries.

KSJ 38



TUBULAR KNEE SCOOTER JUNIOR

FEATURES

- Steel frame powdercoated GREEN colour with crutch holder.
- Height adjustable handles with lock on brakes.
- Height adjustable knee trough with soft knee pad, can be positioned left or right to suit non weight bearing leg.
- Compact design with fold down handles and moulded easy to clean handgrips.
- Folds easy for transportation.
- Large front wheel, rubber bearing back wheels, turns easily in small tight spaces.
- Back axle can be moved from left or right depending on the non-weight bearing leg requirements.
- Just as stable as four wheeled models.
- Quality NZ Made product (not imported), built for durability and longevity.

SPECIFICATIONS

- Handle height: 73 – 86cm
- Handle width: 45cm
- Length: 87cm (overall)
- Width: 38cm (outside wheels)
- Trough height: 30 – 43cm
- Wheels: 250mm (front), 200mm (rear)
- Weight: 7.2kg
- Max user weight: 100kg



Crutch holder brackets

OPTIONS AVAILABLE

Code

KSJ 38 Tubular Knee Scooter Junior

DISCLAIMER

1. When using the Tubular Knee Scooter Junior please exercise CAUTION when turning sharply to prevent tipping or overbalancing.
2. DO NOT overload the basket with heavy objects as this may cause the Tubular Knee Scooter Junior to tip when turning.

PRODUCT AVAILABLE FOR HIRE

\$20 day, \$45 week, \$120 month, \$180 six weeks. GST Incl.
(Hire may incur freight charges, please enquire)
info@tubularequipment.co.nz



TUBULAR EQUIPMENT | Brook Street | PO Box 2435 | Tauranga 3140 | New Zealand
Phone/Fax 07 578 4874 | Freephone 0800 757 588 | info@tubularequipment.co.nz | www.tubularequipment.co.nz

WE WILL MANUFACTURE EQUIPMENT TO SUIT ANY SPECIAL REQUIREMENTS



BE 54



BE 54 folded

BACK EZE (BACK STRETCHER)

FEATURES

- Steel construction powdercoated Silver/Grey colour.
- Thick padded seat.
- Easy ratchet folding, and height adjustment mechanism.
- Additional height in main frame at kitset assembly points.
- Knee support is easily adjusted for length and height.
- Large size padding on knee support.
- Non slip grip on outer frame.
- Folds easily for storage and transportation.
- Easily assembled kitset.

SPECIFICATIONS AND OPTIONS AVAILABLE

Code BE 54

- Frame height: 100 – 119cm
- Seat height: 82 – 100cm
- Frame width: 70cm
- Knee support: 10 – 26cm (from edge of seat)
- Knee support height: 0 – 18cm
- Weight: 9kg
- Max User Weight: 110kg

INSTRUCTIONS FOR USE

- Step into frame, position swinging leg pad behind knees.
- Lean forward positioning thighs onto seat pad.
- Roll body forward and gradually move your hands down the frame. Move forward on the seat so your whole body weight is supported on your thigh area. The knee support

bar should be behind your knees; this may have to be adjusted to suit body size.

- Let your feet lift off the ground, as the seat pad takes your body weight, slide hands down frame using anti slip grips until you are upside down.
- Release hands from frame allowing body to hang.
- To dismount, return hands onto frame and gradually push your body back up the frame to a standing position.
- On initial use of this frame it is recommended that user's limit the amount of time inverted (hanging upside down) until you become accustomed to using this type of equipment. A gradual build up of inversion time on this frame is recommended.

DISCLAIMER

This product is intended to assist in Back Pain relief, along with gentle exercises designed to strengthen back muscles. Exercises such as twisting, back extension and side swing, can be carried out whilst in this frame. Do not perform any exercises if they cause pain. It is the responsibility of the user, to use the equipment in the correct way for which it is intended. NEVER USE THIS EQUIPMENT WHEN ON YOUR OWN, and it is not recommended for children.

Please check with your health provider as certain medical conditions may prevent use of this piece of equipment. Conditions include: High Blood Pressure, Ear Infections, Eye Disorders (Retinal Detachment, Glaucoma), Pregnancy, Heart Conditions.



WCA 79



WCA 79 folded



WCHD 80

WHEELCHAIR

(Lightweight – Aluminium Frame)

FEATURES

- Detachable flip-back armrest.
- Quick release non-puncture solid rear wheels.
- Swing-away adjustable foot rests.
- Aluminium hand rim.
- Rear seat pocket.
- Folds easily for transportation.
- Elevating leg rests. (optional extra)
- Anti-tip rear wheels. (optional extra)

SPECIFICATIONS AND OPTIONS AVAILABLE

Code WCA 79

- | | |
|-------------------------------------|------------|
| • Seat width: | 16", 18" |
| • Total weight including footrests: | Under 15kg |
| • Max user weight: | 115kg |

WHEELCHAIR

(Heavy Duty – Steel Frame)

FEATURES

- Heavy duty padded vinyl upholstery.
- Swing back arm rests.
- Swing-away removable foot plates.
- Rear seat pocket.
- Solid urethane rear tyres.
- Attendant handbrakes.
- Folds easily for transportation.

SPECIFICATIONS AND OPTIONS AVAILABLE

Code WCHD 80

- | | |
|--------------------|----------|
| • Seat width: | 20", 22" |
| • Weight: | 24kg |
| • Max user weight: | 130kg |

*Please state seat size of wheelchair required when ordering.
Other sizes and types of wheelchairs are available on request.*

Picture may not represent actual product available.



WCC 81 in use



WCCVR 82

WCC 81

WCC 81



NOT AVAILABLE

JWCHR 83



JWCHR 83 folded



JWCHR 83 detachable parts

WHEELCHAIR CARRIER

FEATURES

- Steel construction zinc coated.
- Fits on car tow ball.
- Secured with locking screw.
- Length adjustable to fit different wheelchairs.
- Fold down upright pole.
- Adjustable top hook.

SPECIFICATIONS AND OPTIONS AVAILABLE

Code WCC 81

- Height: 53 – 68cm
- Length: 95cm
- Weight: 6kg
- Towball size: 1 7/8" or 2" (50mm)

WHEELCHAIR COVER

FEATURES

- Dark Blue nylon waterproof material.
- One size fits most chairs.
- Drawstring to secure bottom below wheelchair.

SPECIFICATIONS AND OPTIONS AVAILABLE

Code WCCVR 82

- Height: 100cm
- Length: 80cm
- Depth: 30cm

JUNIOR WHEELCHAIR

FEATURES

- Steel/chrome construction.
- 14" vinyl seat.
- Removable footplates and armrests.
- Black vinyl padded armrests.
- Calf strap.
- Rear seat pocket.
- Solid back tyres. (24" x 1 3/8")
- Solid front castors. (8" x 1")

SPECIFICATIONS AND OPTIONS AVAILABLE

Code JWCHR 83

- Seat width: 36cm
- Seat width: 36cm
- Seat back: 40cm
- Weight: 17kg (approx)
- Max user weight: 110kg

(THIS MODEL IS NO LONGER AVAILABLE)



TT 1307C



TT 1307CP



TT 1307CFA / BSK 98



TT 1303



TT 1302GPH



glide feet



TT 1302GPH folded

TINY TOT WALKER (TT 1300 Series)

FEATURES

- Steel construction powdercoated Red colour.
- Two buttons for easy folding.
- Interchangeable legs, castors, and wheels.
- Height adjustable handles with moulded easy to clean handgrips, secured with clamps and handscrews.
- Forearm troughs are height adjustable, secured with clamps.
- Padded troughs with moulded easy to clean handgrips.
- Large wheels/castors move easily over all surfaces.
- Non-slip grey rubber feet.
- Glide feet.
- Aluminium pram handle. (optional extra – add 'PH' to code number)
- Basket. (optional extra)

SPECIFICATIONS

- Height: 40 – 56cm
- Width: 44cm
- Length: 44cm
- Trough height: 40 – 59cm
- Trough dimension: 8 x 12.5cm
- Weight: 3 – 4kg
- Wheels (front): 100mm
- Wheels (back): 80mm
- Castors: 80mm
- Glide feet: 22mm
- Max user weight: 70kg

Pulpit Top

- Height: 42 – 61cm
- Width: Inner – 20cm
Outer – 40cm
- Length: 25cm

OPTIONS AVAILABLE

Code

- | | |
|-----------------|--------------------------|
| TT 1302 | 2 wheels / 2 feet |
| TT 1302G | 2 wheels / 2 glide feet |
| TT 1303 | 2 castors / 2 feet |
| TT 1303G | 2 castors / 2 glide feet |
| TT 1307C | 2 castors / 2 wheels |
| BSK 98 | Basket (small) |

To order Pulpit Top, Forearm Troughs or Pram Handles – add 'P', 'FA' or 'PH' to code number e.g. TT 1302PH



JR 102P



JR 102G folded



JR 102G



JR 103GPH



JR 107CFA / BSKT 88



JR 107C / BSKT 88

JUNIOR ROVER WALKER (JR 100 Series)

FEATURES

- Steel construction powdercoated Sky Blue colour.
- Lift up brace for easy folding.
- Height adjustable handles with moulded easy to clean handgrips, secured with clamps and handscrews.
- Forearm troughs are height and width adjustable, secured with clamps and handscrews.
- Padded troughs can be rotated to suit, secured with clamps.
- Swivel adjustable handles with moulded easy to clean handgrips.
- Large wheels/castors move easily over all surfaces.
- Front castors and wheels interchangeable.
- Non-slip grey rubber feet.
- Glide feet.
- Aluminium pram handle. (optional extra – add 'PH' to code number)
- Basket and tray combo. (optional extra)
- Straps with velcro can be fitted to troughs. (optional extra)

SPECIFICATIONS

- Height: 56 – 75cm
- Width: 31 – 53cm (between trough centres)
- Width: 39cm (inside back legs)
- Trough height: 65 – 86cm
- Trough dimension: 10 x 15cm
- Length: 50cm
- Weight: 5 – 8kg
- Wheels: 125mm
- Castors: 100mm
- Glide feet: 22mm
- Max user weight: 100kg



forearm trough



front castor

Pulpit Top

- Height: 63 – 85cm
- Width: Inner – 40cm
Outer – 58cm
- Length: 33cm

OPTIONS AVAILABLE

Code		max width
JR 102	2 wheels / 2 feet	53cm
JR 102G	2 wheels / 2 glide feet	53cm
JR 103	2 castors / 2 feet	45cm
JR 103G	2 castors / 2 glide feet	45cm
JR 107C	2 castors / 2 wheels	50cm
BSKT 88	Basket & Tray Combo	

To order Pulpit Top, Forearm Troughs or Pram Handles – add 'P', 'FA' or 'PH' to code number e.g. JR 102FA



JAF 1102



soft handgrip



JAF 1102 folded

JUNIOR ALUMINIUM FOLDING WALKER

(JAF 1100 Series)

FEATURES

- Lightweight aluminium frame.
- Lift up brace for easy folding.
- Moulded soft easy to clean handgrips.
- Height adjustable legs with locking button.
- Large wheels/castors move easily over all surfaces.
- Non-slip grey rubber feet.
- Glide feet.



glide feet

SPECIFICATIONS

- Height: 60 – 70cm
- Width: 58cm (outside back wheels)
- Length: 50cm
- Weight: 2 – 3.5kg
- Wheels: 125mm
- Castors: 100mm
- Glide feet: 25mm
- Max user weight: 80kg

OPTIONS AVAILABLE

Code

- JAF 1101** 4 feet
- JAF 1102** 2 wheels / 2 feet
- JAF 1102G** 2 wheels / 2 glide feet
- JAF 1103** 2 castors / 2 feet
- JAF 1103G** 2 castors / 2 glide feet
- JAF 1107C** 2 castors / 2 wheels



JQP 50 / JQP 51



JWS 52

JUNIOR QUADRUPEDS

FEATURES

- Offset steel quadruped base gives maximum stability.
- Powdercoated Sky Blue colour.
- Non-slip rubber feet.
- Height adjustable steel handles with comfortable moulded easy to clean handgrips, secured with clamps and handscrews.
- Left or right hand use.

SPECIFICATIONS AND OPTIONS AVAILABLE

Code JQP 50 – QUADRUPED Small Base

- Base size: 14 x 23cm
- Height: 45 – 65cm
- Weight: 800gms

Code JQP 51 – QUADRUPED Large Base

- Base size: 17 x 29cm
- Height: 49 – 70cm
- Weight: 1kg
- Max user weight (both models) – 90kg

JUNIOR WALKING STICK

FEATURES

- Aluminium tube leg and handle.
- Moulded easy to clean handgrip.
- Height adjustable with locking button.
- Non-slip grey rubber tip.

SPECIFICATIONS AND OPTIONS AVAILABLE

Code JWS 52

- Height: Made to suit.
(Please state height when ordering)
- Weight: 500gms
- Max user weight: 70kg



ECP 66



ECS 60 / ECD 65 / ECC 70



KC 68



ECA 69



ECAHD 71


ECP 66
handgrip

ECS 60
ECD 65
handgrip

ECC 70
handgrip

KC 68
handgrip

ECA 69
handgrip

ELBOW CRUTCHES

Steel (Adult and Paediatric)

FEATURES

- Steel construction powdercoated Spearmint Green colour with aluminium leg.
- Height adjustable with locking buttons.
- Plastic armband, steel handle with moulded rubber easy to clean handgrips.
- Comfy handle crutch has moulded left and right easy to clean handgrips.
- Non-slip rubber tips. (22mm)

SPECIFICATIONS AND OPTIONS AVAILABLE

Code ECFHT 6 – Fixed Height

- Please state when ordering the following measurements: (A) Floor to top of handle, (B) top of handle to top of cuff.

Code ECS 60 – Single Adjustable


- Height: 71 – 96cm
- Handle to cuff: 21cm
- Weight: 775gms (each)
- Max user weight: 130kg

Code ECD 65 – Double Adjustable

- Height: 71 – 96cm
- Handle to cuff: 20 – 28cm
- Weight: 800gms (each)
- Max user weight: 130kg

Code ECC 70 – Comfy Handle

- Height: 71 – 96cm
- Handle to cuff: 20 – 28cm
- Weight: 825gms (each)
- Max user weight: 130kg (each)



Code	ECP 66	ECP 66C
	(std handle)	(comfy handle)
• Paediatric Crutches:	9 – 14 years	9 – 14 years
• Height:	50 – 76cm	50 – 76cm
• Handle to cuff:	17 – 23cm	17 – 23cm
• Weight:	700gms (each)	700gms (each)
• Max user weight:	90kg	90kg

KOWSKY CRUTCHES

FEATURES

- Double adjustable.
- Moulded easy to clean handle with cuff. (Blue, Red or Black colour)
- Height adjustable aluminium leg.
- Non slip rubber tip. (16mm)

SPECIFICATIONS AND OPTIONS AVAILABLE

Code KC 68 – Double adjustable

- Height: 77 – 97cm
- Handle to cuff: 22 – 24.5cm
- Weight: 570gms (each)
- Max user weight: 130kg (each)

Other models available on request.

ELBOW CRUTCHES

Aluminium Comfy Handle

FEATURES

- Strong aluminium construction.
- Plastic armband.
- Moulded plastic left and right comfy easy to clean handles.
- Height adjustable with locking buttons.
- Non slip rubber tip. (22mm)

SPECIFICATIONS AND OPTIONS AVAILABLE

Code ECA 69 – Double Adjustable – Standard

- Height: 75 – 89cm
- Handle to cuff: 24 – 32cm
- Weight: 725gms (each)
- Max user weight: 115kg (each)

Code ECAHD 71 – Double Adjustable – Heavy Duty

- Height: 69 – 112cm
- Handle to cuff: 23 – 28cm
- Weight: 725gms (each)
- Max user weight: 160kg (each)



GC 10



GCHD 8



UC 75

GUTTER CRUTCHES

(Standard)

FEATURES

- Lightweight aluminium tube and handle.
- Foam padded steel forearm support, powdercoated Maroon colour.
- Swivel adjustable handle with moulded easy to clean handgrip, secured with clamps and handscrews.
- Webbing straps with velcro fastenings.
- Height adjustable with locking button.
- Non-slip grey rubber tips. (22mm)

SPECIFICATIONS AND OPTIONS AVAILABLE

Code GC 10

- Height: 93 – 113cm
- Trough dimension: 11 x 15cm
- Weight: 1.15kg (each)
- Max user weight: 185kg

GUTTER CRUTCHES

(Heavy Duty)

FEATURES

- Steel construction.
- Foam padded steel forearm support, powdercoated Space Blue colour.
- Swivel adjustable handle with moulded easy to clean handgrip, secured with clamps and handscrews.
- Webbing straps with velcro fastenings.
- Height adjustable with 'C' click pin.
- Non slip sherpa tips. (25mm)

SPECIFICATIONS AND OPTIONS AVAILABLE

Code GCHD 8

- Height: 98 – 123cm
- Trough dimension: 12.5 x 17.5cm
- Weight: 1.7kg (each)
- Max user weight: 250kg



QP 20 / QPSB 22 / QPI 21

QUADRUPED

FEATURES

- Offset steel base gives maximum stability.
- Powdercoated Maroon colour.
- Non-slip grey rubber feet.
- Height adjustable aluminium handles with comfortable rubber easy to clean handgrip.
- Left or right hand use.

SPECIFICATIONS AND OPTIONS AVAILABLE

Code QP 20 – QUADRUPED Large Base

- Base size: 22 x 36cm
- Height: 74 – 95cm
- Weight: 1.1kg

Code QPI 21 – QUADRUPED Intermediate Base

- Base size: 17 x 30cm
- Height: 74 – 95cm
- Weight: 1kg

Code QPSB 22 – QUADRUPED Small Base

- Base size: 14 x 25cm
- Height: 74 – 95cm
- Weight: 1kg
- Max user weight (all models) – 115kg

Heavy duty quadrapeds made to order on request.

UNDERARM AXILLA CRUTCHES

(Adult and Paediatric)

FEATURES

- Aluminium construction with padded tops and handgrips.
- Non-slip grey rubber tips.
- Height adjustable.

SPECIFICATIONS AND OPTIONS AVAILABLE

Code UC 72

- Child Crutch height: 79 – 94cm
(patient height 120 – 137cm)

Code UC 73

- Youth Crutch height: 94 – 114cm
(patient height 137 – 157cm)

Code UC 74

- Medium Crutch height: 114 – 134cm
(patient height 157 – 178cm)

Code UC 75

- Adult Crutch height: 134 – 154cm
(patient height 178 – 198cm)
- Weight: up to 1.1kg (each)
- Max user weight: 127kg



WS 701C / WSA 702C / WS 703T / WSA 704T



WS 706F



WS 706F



WS 706F

ALUMINIUM WALKING STICKS

FEATURES

- Lightweight, strong aluminium tube.
- Available with curved or T-Bar handles.
- Comfortable moulded rubber easy to clean handgrips.
- Non-slip grey rubber tips.
- Adjustable height facility.
- Fixed lengths available. *(Please state when ordering)*

SPECIFICATIONS

- Height: 74 – 95cm
- Weight: 312 – 368gms
- Max user weight: 127kg

OPTIONS AVAILABLE

Code

- WS 701C** Curved handle, non-adjustable
WSA 702C Curved handle, adjustable
WS 703T T-Bar, non-adjustable
WSA 704T T-Bar, adjustable



LR rubber handgrip



Bronze, Green Paisley, Dark Blue Flower



Mauve Flower, Woodgrain, Red Paisley



WS 706F folded



WS 708W



HS 40

FOLDING WALKING STICK

FEATURES

- Lightweight alloy tube.
 - Height adjustable.
 - Folds to a compact size for easy storage/transportation.
 - Moulded 'T' handle.
 - Non-slip rubber tip.
 - Colours – Mauve Paisley, Red Paisley, Green Paisley, Dark Blue Flower, Woodgrain, Black, and Bronze.
- (Please state colour preference when ordering)*

SPECIFICATIONS AND OPTIONS AVAILABLE


Code WS 706F

- Length: 85 – 95cm
- Folded length: 30cm
- Weight: 340gms
- Max user weight: 127kg

WOODEN CANE WALKING STICK

FEATURES

- Wooden Chestnut cane.
- Crook handle.
- Non-slip rubber tip.
- Can be cut to required length. *(Please state when ordering)*



LR rubber handgrip

SPECIFICATIONS AND OPTIONS AVAILABLE

Code WS 708W

- Height: 91cm maximum
- Weight: 340gms
- Max user weight: 127kg

HIKING / STROKE BALANCE STICK

FEATURES

- Lightweight aluminium tube.
- Comfy moulded rubber easy to clean handgrip.
- Non-slip grey rubber tip.
- Height adjustable.

SPECIFICATIONS AND OPTIONS AVAILABLE

Code HS 40

- Height: 112 – 133cm
- Weight: 453gms



ECP 66A

ELBOW CRUTCHES

Paediatric 6 – 10 years

FEATURES

- Aluminium construction powdercoated yellow.
- Plastic armband with plastic moulded easy to clean handgrip.
- Height adjustable with locking buttons.
- Non slip rubber tip. (19mm)

SPECIFICATIONS AND OPTIONS AVAILABLE

Code ECP 66A – Double Adjustable

- Paediatric Crutches: 6 – 10 years
- Height: 46 – 69cm
- Handle to cuff: 17.5 – 22.5cm
- Cuff width: 6.5cm
- Weight: 475gms (each)
- Max user weight: 100kg




TUBULAR EQUIPMENT | Brook Street | PO Box 2435 | Tauranga 3140 | New Zealand
Phone/Fax 07 578 4874 | Freephone 0800 757 588 | info@tubularequipment.co.nz | www.tubularequipment.co.nz

WE WILL MANUFACTURE EQUIPMENT TO SUIT ANY SPECIAL REQUIREMENTS



SS 61



BBD 48

SHOWER STOOL

FEATURES

- Steel construction powdercoated White colour.
- White moulded non slip seat with raised handles.
- Height adjustable legs.

SPECIFICATIONS AND OPTIONS AVAILABLE

Code SS 61

- Width between handles: 50cm
- Seat height: 49 – 62cm
- Seat depth: 30 x 34cm
- Weight: 3.5kg
- Max user weight: 120kg

SHOWER CHAIR

FEATURES

- Steel construction powdercoated White colour.
- White moulded seat with raised arms.
- Adjustable legs with non-slip rubber feet.

SPECIFICATIONS AND OPTIONS AVAILABLE

Code SCA 19

- Width between handles: 49cm
- Height: 43 – 56cm
- Seat width: 40 x 40cm
- Max user weight: 120kg



SCA 19



BST 67

BATH BOARD

FEATURES

- White plastic moulded Bath Board with grab handle.
- Textured non-slip surface.
- Strong four peg fitting.

SPECIFICATIONS AND OPTIONS AVAILABLE

Code BBD 48

- Seat size: 32 x 70.5cm
- Adjustable to bath width: 40.5 – 65cm
- Max user weight: 120kg

BATH SEAT

FEATURES

- White plastic moulded seat with suction feet.

SPECIFICATIONS AND OPTIONS AVAILABLE

Code BST 67

- Height: 21cm
- Seat area: 45.5 x 30cm
- Max user weight: 190kg



CTF 63



SCW 62



SCW 62 dismantled

COMMODE TOILET FRAME

FEATURES

- Powdercoated steel construction with height adjustable legs.
- Moulded arms and seat with lid.
- Removable bowl with separate lid.
- Splashguard.
- Non slip rubber feet.

SPECIFICATIONS AND OPTIONS AVAILABLE

Code CTF 63

- Width: 58cm
- Seat from floor: 42 – 55cm
- Seat width: 45cm
- Weight: 6.5kg
- Max user weight: 110kg

SHOWER COMMODE – WHEELED

FEATURES

- Stainless steel construction.
- Four 5" locking castors.
- Pull out anti tip foot rest.
- Drop down arm rest.
- Nylon mesh back rest.
- Removable back and bucket.

SPECIFICATIONS AND OPTIONS AVAILABLE

Code SCW 62

- Seat width: 45cm
- Seat depth: 42cm
- Seat back: 40cm
- Weight: 12kg
- Maximum user weight: 150kg



CMF 77



CMF 77 folded

COMMODE – FOLDING

FEATURES

- Aluminium frame with moulded plastic seat.
- Removable bucket and splashguard.
- Folds together for easy storage/transportation.

SPECIFICATIONS AND OPTIONS AVAILABLE

Code CMF 77

- Height adjustment from ground to backrest: 77 – 87cm
- Width between handles: 46cm
- Depth of seat: 40cm
- Weight: 4.8kg
- Max user weight: 115kg



TR 43

TOILET RAILS

FEATURES

- Steel rail powdercoated White colour.
- Base plates 6 x 12cm.
- Can be bolted to concrete floor, or screwed to wooden floor.

SPECIFICATIONS AND OPTIONS AVAILABLE

Code TR 43

- Top bend 90cm high.
- Dyna bolts or screws can be supplied (extra).

SHOWER MAT / BATH MAT

FEATURES

- Natural rubber or durable clear material suction mats.
- Suction cups hold shower/bath mats securely in place.
- Slip resistant.
- Easy to clean, square or oblong shape.
- Suitable for all showers and baths.

SPECIFICATIONS

- Size: 53 x 53cm Shower Mat
34 x 74cm Bath Mat

OPTIONS AVAILABLE

Code

- SM 34** Shower Mat
BM 33 Bath Mat



GR – POWDERCOATED



GRS – STAINLESS STEEL



SM 34 / BM 33



DBS 36

GRAB RAILS

FEATURES

- Stainless steel rails or powdercoated White steel rails.
- Powdercoated rails have 50mm stand off.
- Stainless steel rails have 40mm stand off.

SPECIFICATIONS

Special sizes, shapes and colours made to your requirements.

(Please state when ordering)

OPTIONS AVAILABLE

Code	Powdercoated (25mm tube)	Code	Stainless Steel (32mm tube)
GR 3	30cm	GRS 3	30cm
GR 4	60cm	GRS 4	40cm (NOT AVAILABLE)
GR 5	90cm	GRS 5	45cm
GR 6	100cm	GRS 6	60cm
GR 45	60 x 60cm (45°)	GRS 7	82cm
GR 90	60 x 60cm (90°)		

DRY BED SHEETING

FEATURES

- 100% 70d nylon P.U. coated dry bed sheeting.
- 100% waterproof.
- Light, flexible, soft to handle.
- Easy to wash – warm wash, cold rinse, line dry (avoid bleach, deodorizing and antiseptic compounds).

SPECIFICATIONS AND OPTIONS AVAILABLE

Code DBS 36

- Width: 147cm
- Cut to length required. (Please state when ordering)



BC 12



BCA 27



BR 11

BED CRADLES

(Standard or Adjustable)

FEATURES

- Lightweight aluminium frame.
- Keeps bedding above the feet or legs over a large area.
- Cradle fits easily under the mattress on most beds.
- BCA 27 features push button adjustment.

SPECIFICATIONS AND OPTIONS AVAILABLE

Code	BC 12 (std)	BCA 27 (adj)
• Height:	46cm	47 – 63cm
• Width:	45cm	50cm
• Length:	38cm	40cm

BED RAIL

(Domestic Bed)

FEATURES

- Steel construction powdercoated White colour.
- Height adjustable stabilising arms can be positioned and secured with clamps and handscrews.
- Arms have provision for securing ties under mattress to hold rail firmly in place.
- Arms are positioned between mattress and base, to fit most beds.
- Stabilising arms can be folded in flat for easy storage/transportation.
- Non-slip grey rubber feet.

SPECIFICATIONS AND OPTIONS AVAILABLE

Code	BR 11
• Height:	84cm
• Width:	50cm
• Arm length:	49cm
• Weight:	4kg



BP 24



BRSWD 76



BRSWD 76 open

BED POLE

(Domestic Bed)

FEATURES

- Steel construction powdercoated White colour.
- Removable pole for easy storage/transportation.
- Adjustable pole height to suit different bed heights.
- Side posts for stability with easy locking pole.
- Arms are positioned between mattress and base.
- Arms are angled to fit all beds, including slat beds.
- Non-slip grey rubber foot.

SPECIFICATIONS AND OPTIONS AVAILABLE

Code	BP 24
• Height:	84cm
• Width:	74cm
• Arm length:	60cm
• Weight:	3kg

BED RAIL – SWING OUT

(Domestic Bed)

FEATURES

- Steel construction powdercoated White colour.
- Height adjustable. (base height from floor)
- Fits domestic beds.
- Base fits between mattress and base of bed.
- Can be fitted with left or right swing.
- Easy lift locking system.
- Can be fitted with securing strap.

SPECIFICATIONS AND OPTIONS AVAILABLE

Code	BRSWD 76
• Height:	84cm
• Length:	50cm
• Base dimensions:	50 x 67cm
• Weight:	4kg

**BRC 41***BPFE 42 folded down***BPE 29 / BPFE 42**

BED RAIL – CLAMP ON (Electric Bed)

FEATURES

- Steel construction powdercoated White colour.
- Two handscrews lock rail onto side rail of electric bed.
- Fits side rail size 40 and 50mm deep and up to 30mm wide.
- Fits hospital beds only.

SPECIFICATIONS AND OPTIONS AVAILABLE

Code BRC 41

- Height adjustable: 40 – 50cm (above side rail of bed)
- Width: 50cm
- Weight: 2.5kg

BED POLE – Standard or Folding (Electric Bed)

FEATURES

- Steel construction powdercoated White colour.
- Two handscrews lock pole onto side rail of electric bed.
- Adjustable clamp.
- Spring loaded locking pin allows rail to be folded down flat with the bed. (folding model only)
- 32mm pole.
- Fits side rail size 40, 50 and 70mm deep and up to 30mm wide.

SPECIFICATIONS AND OPTIONS AVAILABLE

Code	BPE 29 (std)	BPFE 42 (folding)
• Height above side rail of bed:	48cm	48cm
• Weight:	1.6kg	1.9kg

**BRSWE 49****BBR 28**

BED RAIL – SWING OUT (Electric Bed)

FEATURES

- Steel construction powdercoated White colour.
- 32mm pole with 22mm rail.
- Two handscrews lock pole onto side rail of electric bed.
- Spring loaded locking pin allows rail to be parallel with the bed, or 90° out from the bed.
- Locks in three positions.
- Fits side rail 40, 50 and 70mm deep and up to 30mm wide.

SPECIFICATIONS AND OPTIONS AVAILABLE

Code BRSWE 49

- Height above side rail of bed: 48cm
- Rail length: 50cm
- Weight: 4kg

BED BACK REST

FEATURES

- Steel construction powdercoated White colour.
- Strong Blue nylon material back. (fire retardant)
- Five positions.

SPECIFICATIONS AND OPTIONS AVAILABLE

Code BBR 28

- Back width: 61cm
- Length: 51cm
- Adjustment range: 25 – 65°
- Weight: 3kg



BPEM 32



Fits M7 series bed



Fits M9 series bed

BED POLE – M Series Bed (Electric Bed)

FEATURES

- Steel construction powdercoated White colour.
- Three handscrews lock pole onto side rail of electric bed.
- Fits M Series electric beds with cot sides fitted.
(fits outside of cot sides)
- Adjustable clamp will fit 2 sizes of rail – 25 x 25mm and 32 x 32mm.

SPECIFICATIONS AND OPTIONS AVAILABLE


Code BPEM 32

- Length: 68.5cm
- Weight: 1.7kg



TUBULAR EQUIPMENT | Brook Street | PO Box 2435 | Tauranga 3140 | New Zealand
Phone/Fax 07 578 4874 | Freephone 0800 757 588 | info@tubularequipment.co.nz | www.tubularequipment.co.nz

WE WILL MANUFACTURE EQUIPMENT TO SUIT ANY SPECIAL REQUIREMENTS



FL 93



FLL 97

FOOT LIFTER

FEATURES

- Aluminium construction powdercoated White colour.
- Moulded easy to clean handgrip.
- Assists in lifting foot and leg onto bed.
- Rigid aluminium stirrup, gives easy foot location.
- Long model has moulded rubber easy to clean handgrip with webbing loop strap and padded bottom stirrup bar.

SPECIFICATIONS AND OPTIONS AVAILABLE

Code	FL 93 (std)	FLL 97 (long)
• Length:	72cm	82cm
• Stirrup size:	15cm (inside)	15cm (inside)

ESI-REACH AND GRAB STICKS

FEATURES

- Lightweight aluminium and plastic reacher.
- Comfortable handgrip with squeeze trigger.
- Magnet in jaws for picking up light metal objects.

SPECIFICATIONS AND OPTIONS AVAILABLE

Code	ES 90 (std)	ES 92 (long)	GSL 91 (long)	GSS 91 (short)
• Length:	67cm (Esi-Reach)	82cm (Esi-Reach)	75cm (Grab Stick)	60cm (Grab Stick)



UT 37



GSL 91 / GSS 91



ES 92

UTILITY TROLLEY

FEATURES

- Steel construction powdercoated Almond colour.
- Two easy to clean Meltica trays.
- Four castors give easy manoeuvrability.
- Braked castors available. *(Please state when ordering)*

SPECIFICATIONS AND OPTIONS AVAILABLE

Code UT 37

• Width:	40cm
• Length:	60cm
• Handle height:	90cm
• Top tray height:	70cm
• Bottom tray height:	43cm
• Tray size:	40 x 60cm
• Castors:	70mm



OBT 13



OBTS 25



OBTS 25N



optional side platform

OVERBED TABLES

FEATURES

- Steel frame powdercoated Almond colour.
- Table top has full tilt both ways and is secured with clamps and handscrews. (tilting models only)
- Height adjustable.
- Extendable base. (OBT 13 and OBTELG 26 models only)
- Large easy to clean Meltica table top with raised wooden edge.
- Designed to use over a bed or chair.
- Four nylon castors for easy manoeuvrability.
- Non-tilt top and side platforms available.
- Three table sizes available.
- Tables easily dismantled for storage/transportation.

SPECIFICATIONS

OBT 13 / OBT 13N – Large

- Top size: 50 x 70cm
- Side platform: 20 x 50cm (optional extra)
- Height: 67 – 100cm
- Base depth: 44cm
- Base width: 61 – 86cm
- Base height: 9.3cm
- Castors: 50mm twin wheel
- Weight: 9kg

OBTS 25 / OBTS 25N – Small

- Top size: 40 x 60cm
- Side platform: 20 x 40cm (optional extra)

- Height: 67 – 100cm
- Base size: 38 x 53cm
- Base height: 8.6cm
- Castors: 50mm twin wheel
- Weight: 8kg

OBTELG 26 / OBTELG 26N – Extra Large

- Top size: 50 x 90cm
- Side platform: 20 x 50cm (optional extra)
- Height: 77 – 110cm
- Base depth: 44cm
- Base width: 61 – 86cm
- Base height: 9.3cm
- Castors: 50mm twin wheel
- Weight: 10kg

OPTIONS AVAILABLE

Code

- | | |
|-------------------|---|
| OBT 13 | Large, tilt top |
| OBT 13N | Large, non-tilt top |
| OBTS 25 | Small, tilt top |
| OBTS 25N | Small, non-tilt top |
| OBTELG 26 | Extra Large overbed table, tilt top |
| OBTELG 26N | Extra Large overbed table, non-tilt top |



OBTNG 45



OBTNG 45 folded

OVERBED TABLES – EXTRA LONG

FEATURES

- Steel frame powdercoated Almond colour.
- Extra-long table top has full tilt both ways and is secured with clamps and handscrews.
- Two column height adjustment gives greater stability.
- Large easy to clean Meltica table top with raised wooden edge.
- Designed to use over a bed or a chair.
- Four nylon castors for easy manoeuvrability.
- Table easily dismantled for storage/transportation.
- Tilt and non-tilt table top options available.
- Table top length can be made to suit.

(Please state size required when ordering)

SPECIFICATIONS AND OPTIONS AVAILABLE

Code OBTNG 45 (Tilt), **OBTNG 45N** (Non-tilt)

- Top size: 50 x 100cm
- Height: 67 – 100cm
- Base depth: 44cm
- Base height: 9.3cm
- Castors: 50mm twin wheel
- Weight: 13.5kg



CAT 55



NOT AVAILABLE



CAH 56



NOT AVAILABLE

CHAIR ASSIST TABLE AND CHAIR ASSIST HANDLE

FEATURES

- Steel frame powdercoated Brown colour.
- Woodgrain swivel tray with cup holder and utensil compartment, pivots 360°.
- Moulded safety handle – makes standing and sitting easy.
- Base can be adjusted in length to fit either side of your couch or chair.
- Table is height adjustable.
- Rubber pads – ensure stability and protect floor from damage.
- Saddle bag pouch for storage, only available on Chair Assist Handle model.

SPECIFICATIONS AND OPTIONS AVAILABLE

Code	CAT 55	CAH 56
• Tray height:	66 – 81cm	–
• Tray size:	41 x 46cm	–
• Handle height:	86 – 102cm	86 – 102cm
• Base length:	51 – 91cm	51 – 91cm
• Weight:	11kg	8.8kg
• Weight limit of handle:	115kg	115kg
• Weight limit of tray:	14kg	–

(THESE MODELS ARE NO LONGER AVAILABLE)



LGL 802 / AGL 802



LQH 53

LEG GLOVE AND ARM GLOVE

FEATURES

- Cast and bandage protector for showering/bathing.
- Polyethylene material.
- Gloves have two velcro straps for water tight sealing.
- Can be used multiple times.

SPECIFICATIONS AND OPTIONS AVAILABLE

Code

LGL 802 Leg Glove

AGL 802 Arm Glove

LIQUID HOLSTER

FEATURES

- Plastic Liquid Holster® Grey colour.
- Liquid Holster® clamps easily to any circular tubing up to 35mm.
- Holds up to an 800ml bottle and most coffee or takeaway cups with lids.
- Liquid Holster® allows you to have your hands free.

SPECIFICATIONS AND OPTIONS AVAILABLE

Code

LQH 53 Liquid Holster®



HBR 85



SA 93



SA 93 with sock

HANDY BAR

FEATURES

- The Handy Bar helps you to get in and out of your car easily.
- Slips into the bracket on your car door pillar.
- Strong, durable and easy to use with moulded easy to clean grip.
- Fits most vehicles, no modification needed.
- Emergency seat belt cutter and side window breaker.
- Suits people with physical challenges and is ideal for those recovering from surgery or injuries.

SPECIFICATIONS AND OPTIONS AVAILABLE

Code

HBR 85 Handy Bar

SOCK AND STOCKING AID

FEATURES

- Outer Nylon material prevents friction.
- Inner covered in terry cloth.
- Long webbing straps are used to pull socks on.
- Fully washable.

SPECIFICATIONS AND OPTIONS AVAILABLE

Code

SA 93 Sock and Stocking Aid



DCT 15

DRUGS CHART TABLE

FEATURES

- Steel construction powdercoated Almond colour.
- Kidney bowl holder, rectangle bin holder, basket, paper clip which holds drug chart, chain and ring to secure MIMS book.
- Clamp and handscrew secures tilt of table.
- Top tilts for easy storage.
- Five castor plastic base.
- Kitset column for easy transportation.

Table can be made to your requirements, using all or part of the above features.

SPECIFICATIONS AND OPTIONS AVAILABLE

Code DCT 15

- Height: 90cm
- Top width: 35 x 65cm
- Rectangle bin size: 15.5 x 22cm (inside)
- Basket size: 11 x 17 x 35cm
- Weight: 9kg (approx)

MULTI USE STAND

FEATURES

- Steel frame powdercoated Black colour.
- Five castor base.
- Adjustable height locked with lockscrew.
- Can be made with various top plates to fit customer requirements – ie. Breast Pumps, Nebulisers etc.
- Includes basket.

SPECIFICATIONS AND OPTIONS AVAILABLE

Code MUS 14

- Height: 76 – 100cm
- Weight: 3.5kg



DCT 15 tilted



MUS 14



IVP 400



PBS 18

AMBULANCE IV POLE

FEATURES

- Steel construction powdercoated Silver colour.
- Hooks onto side rail and main rail of stretchers.
- Spring loaded hook secures unit in place.
- Height adjustable double IV bag holder.

SPECIFICATIONS AND OPTIONS AVAILABLE

Code IVP 400

- Height: 40 – 89cm (above the side rail)
- Weight: 1.25kg

PORTABLE ARM STAND

FEATURES

- Steel construction powdercoated Grey colour.
- Height adjustable.
- Padded trough covered with vinyl.
- Trough tilts both ways.
- Clamp adjustment for height and tilt.
- Five castor plastic base.
- Kidney bowl holder. (PBSKH 18 only)

Other configurations made to order.

SPECIFICATIONS AND OPTIONS AVAILABLE

Code PBS 18, PBSKH 18

- Adjustable height (centre of trough): 73 – 130cm
- Trough length: 45cm
- Base: 60cm
- Weight: 5kg



PB 64

PARALLEL BARS

FEATURES

- Steel Construction (38mm) powdercoated Tingle Gloss Orange (other colours available on request).
- Can be fixed to floor or free standing (please advise).
- Turn down ends for safety.
- Non slip tape can be used if required.
- Can be folded for storage if freestanding.
- This product is not held in stock and is made to order.

SPECIFICATIONS AND OPTIONS AVAILABLE

Code PB 64

- Length: 3m standard
(other sizes/lengths made to order)
- Height: Adjustable up to 1m
(adjustments in 50mm increments)
- Width: 600mm (between rails)



TUBULAR EQUIPMENT | Brook Street | PO Box 2435 | Tauranga 3140 | New Zealand
Phone/Fax 07 578 4874 | Freephone 0800 757 588 | info@tubularequipment.co.nz | www.tubularequipment.co.nz

WE WILL MANUFACTURE EQUIPMENT TO SUIT ANY SPECIAL REQUIREMENTS



MBE 95



TAB 16

MOBI-EASE (SWIVEL SEAT)

FEATURES

- Helps to turn easily on most surfaces.
- Perfect for use in car or mobility scooter.
- Soft padded design allows user to sit comfortably during long car trips.
- Flexible design works on flat surfaces and contoured bucket-style seats.
- Non-slip base makes turning motion effortless.
- Works well when used in conjunction with Handy Bar.
- Circular swivel cushion consists of two layers held together with a durable plastic plate.
- Top made from quilted cotton.
- Can be used on beds or chairs.
- If placed under feet in standing position, ideal to turn patients from wheelchair to bed, toilet etc.

SEAT BELTS MUST BE USED WHEN USING THE MOBI-EASE SWIVEL SEAT IN THE CAR.

SPECIFICATIONS AND OPTIONS AVAILABLE

Code MBE 95

- Seat size: round, 44cm across

TRANSFER ASSIST BELTS

FEATURES

- Heavy duty webbing belt, with nylon buckle.
- Three handle holds.

OPTIONS AVAILABLE

- | | | |
|-------------|----------------------|------------------------|
| Code | TAB 16 (long) | TAB 16S (short) |
| • Length: | 70 – 130cm (Red) | 60 – 120cm (Blue) |

TRAYS

FEATURES

- Plastic tray with rounded lip.
- Bracket attached to walking frame by one handscrew.
- Tray is attached to bracket, using velcro strips, for easy removal for cleaning.
- Easy to remove when tray is not required.

SPECIFICATIONS

- Tray size: 29 x 36cm

OPTIONS AVAILABLE

Code

- T 500** Can fit any walker that has a single cross bar



BSKT 88



T 500



AF 1107C with basket & tray BSKT 88



BSK 99



BSK 98

BASKET AND TRAY COMBINATION

FEATURES

- Plastic coated wire basket Silver colour.
- Black plastic tray swings up.
- Basket (BSKT 88) fits:
 - Standard Adjustable Walkers (S 200 series)
 - Aluminium Folding Walkers (AF 1100 series)
 - Junior Rover Walkers (JR 100 series)
- Basket (BSKTR 88) fits:
 - Rover Walkers (R 1400 series)
 - Rehab Walkers (RW 900 series)

SPECIFICATIONS AND OPTIONS AVAILABLE

- | | | |
|--------------------------------|-----------------|--------------|
| Code BSKT 88 / BSKTR 88 | Basket (Silver) | Tray (Black) |
| • Basket | Width: 39cm | Width: 40cm |
| | Height: 16cm | Depth: 23cm |
| | Depth: 16cm | Lip: 1cm |

BASKETS

FEATURES

- Plastic coated wire basket Silver and White colours.


SPECIFICATIONS

- Small: Fits Tiny Tot Walker only. (11 x 17 x 35cm)
- Large: Fits most other walkers. (18 x 19 x 39cm)


OPTIONS AVAILABLE

Code

- | | |
|-------------------|--|
| BSK 98 | Small (Tiny Tot frame only) |
| BSK 99 | Large (fits S 200 and AF 1100 series) |
| BSKRW 99 | Large (fits RW 900 series Rehab Forearm Walker) |
| BSKEFR 99 | Large (fits EFR 1000 series Easy Fold Rehab Walker) |
| BSKGF 99 | Large (fits EFR 1700 series Giant Rehab Walker) |
| BSKSGFR 99 | Large (fits SGFR 1800 series Super Giant Rehab Walker) |



CASTORS



WHEELS



WS 44



GBHS 64



GBH 23

WRIST SUPPORT

FEATURES

- Helps stop wrist rotation.
- Padded bar.
- Attaches to most walking frames.

SPECIFICATIONS AND OPTIONS AVAILABLE

Code WS 44

- Length: 13cm

GAS BOTTLE HOLDERS

Walking Frames and Mobility Scooters

FEATURES

- Steel holder Zinc coated. (walker)
- Steel holder Zinc powdercoated Black colour. (scooter)
- Adjustable top and bottom hooks can fit a range of walking frames.
- Webbing strap with velcro used to attach gas bottle to frame.
- Moulded easy to clean handgrip.
- Scooter model has adjustable bottle base locator.

SPECIFICATIONS AND OPTIONS AVAILABLE

Code GBH 23 – Gas Bottle Holder for Walking Frames

- Height: 60cm
- Hook adjustment range: 28 – 50cm

Code GBHS 64 – Gas Bottle Holder for Mobility Scooter

- Mounting tube: 25mm square

CASTORS

SPECIFICATIONS AND OPTIONS AVAILABLE

Code

Type B 80	80mm	Twin wheel (not shown)
Type D 50	50mm	Twin wheel (fits Overbed Tables)
Type E 75	75mm	Castor (fits Tiny Tot Walkers TT 1300 series)
Type O 100	100mm	Castor (fits AF 1100, JAF 1100, JR 100, S 200 series)
Type T 125	125mm	Castor (fits R 1400, RW 900, EFR 1000 series)
Type I 150	150mm	Castor (fits GFR 1700, SGFR 1800 series)
Type C 200	200mm	Castor (fits EFR 1000, RW 900, GFR 1700 series)

Please state castor type and tube size for mounting when ordering.

WHEELS

SPECIFICATIONS AND OPTIONS AVAILABLE

Code

Type R 75	75mm	Grey rubber wheel (fits TT 1300 series, rear)
Type R 100	100mm	Grey rubber wheel (fits TT 1300 series, front)
Type R 125	125mm	Grey rubber wheel (fits S 200, JR 100, JAF 1100, AF 1100, EFR 1000, RW 900 series)
Type Q 150	150mm	Grey rubber wheel (fits GFR 1700, SGFR 1800 series)
Type X 200	200mm	Grey rubber wheel spoked (fits KS 38 Tubular Knee Scooter, rear)
Type U 200	200mm	Grey urethane wheel (fits EFR 1000, RW 900 series)
Type Z 150	150mm	Wheel – white plastic (fits S 200, AF 1100, R 1400, RW 900, EFR 1000 series)
Type P 125	125mm	Wheel – white plastic (fits JR 100, JAF 1100 series)
Type W 300	300mm	Wheel – black spoked (fits KS 38 Tubular Knee Scooter, front)

Please state size when ordering.

Other wheel type and sizes available on request.

WHEELCHAIR TYRES AND TUBES

SPECIFICATIONS AND OPTIONS AVAILABLE

Code

Type VTTY	12 1/2" x 2 1/4"	Transit Tyres
Type VTTB	12 1/2" x 2 1/4"	Transit Tubes
Type YSPTY	24" x 1 3/8"	Self Propel Tyres
Type YSPTB	24" x 1 3/8"	Self Propel Tubes
Type YSPSTY	24" x 1 3/8"	Self Propel Solid Tyres
Type VP	12 1/2" x 2 1/4"	Tyres – Power Chair

Please state size when ordering.

Other wheel type and sizes available on request.

**GLIDE FEET****HANDGRIPS****GLIDE FEET**

A range of Glide Feet are available to fit different tube sizes.

FEATURES

- Wear resistant material.
- Add 'G' to code numbers when ordering walkers with glide feet to be fitted, or state outside tube size when ordering individually.
- Sold as pairs.

SPECIFICATIONS AND OPTIONS AVAILABLE

Code	
Type G	19mm (not shown)
Type G	22mm
Type G	25mm
Type G	28mm

Please state size when ordering.

HANDGRIPS**SPECIFICATIONS AND OPTIONS AVAILABLE**

Code	
Type M	Moulded plastic grips (fits JQP and TT 1300 series) Size: 19mm
Type J	Moulded plastic grips Size: 22mm, 19mm (fits forearm handles)
Type K	Moulded black rubber grips Size: 19mm (fits JR 100, R 1400 series) and 22mm (fits ECP 66, QP 20, QPI 21, QPSB 22 series)
Type A	Soft black rubber grips Size: 22mm (fits AF 1100, S 200, GFR 1700, Elbow Crutches, SGFR 1800, EFR 1000 series)
Type N	Comfy handle grips – left and right hand pairs Size: 22mm (fits ECC 70 crutches, FWSHB walker)
Type LF	Straight foam tube grips Size: 22mm (fits Walking Sticks, Hiking / Stroke Balance Stick)
Type LR	Straight rubber tube grips Size: 22mm (fits Walking Sticks, Hiking / Stroke Balance Stick)

Please state grip type and tube size when ordering.
All handgrips are easily cleaned.

**RUBBER FEET****SHERPA TIPS****UNIFOOT****UNIFOOT****FEATURES**

- Flexible base bends to allow the four rubber feet to maintain contact with the ground at all times.
- Rubber foot is attached to base of Unifoot allowing walking sticks/crutches to stand unaided.

SPECIFICATIONS AND OPTIONS AVAILABLE**Code UF 9**

- Size: 9 x 12cm
- Fits tube size: 16, 19, 22, 25mm
- Weight: 94gms
- Max user weight: 100kg

Please state size when ordering.

RUBBER FEET

A range of Rubber Feet are available to fit different tube sizes.

SPECIFICATIONS AND OPTIONS AVAILABLE

Code			
Type F	16mm	Type H	16mm
Type F	19mm	Type H	19mm
Type F	22mm	Type H	22mm
Type F	25mm	Type H	25mm
Type F	28mm (not shown)		

Please state type and size when ordering.

SHERPA TIPS

A range of Sherpa Tips are available to fit different tube sizes.

SPECIFICATIONS AND OPTIONS AVAILABLE

Code	
Type S	16mm
Type S	19mm
Type S	22mm – Small
Type S	22mm – Large
Type S	25mm

Please state type and size when ordering.



INDEX

A

Aluminium folding walker	2, 3, 4
Aluminium walking frames – adult	2, 3, 4, 5
– paediatric	16
Aluminium walking sticks – adult	19
– paediatric	16
Arm glove	28
Arm stand	29
Assist belts	30
Axilla crutches	18

B

Back rest – bed	24
Back stretcher (Back Eze)	11
Balance stick	19
Bariatric equipment – gutter crutches	18
– walkers	8, 9
Baskets	30
Bath board, mat, rails, seat, stool	20, 21, 22
Bed back rest	24
Bed cradles – adjustable, standard	23
Bed poles – domestic beds, electric beds, folding	23, 24
Bed rails	23, 24
Bed tables	26, 27
Belt – lifting	30
Blood stand	29
Bottle holder – walker	28
Breast pump stand	29

C

Canes	19
Car swivel seat (Mobi-Ease)	30
Carriers – wheelchairs	13
Castors	31
Chair – assist handle	27
– assist table	27
– shower	20
Chart table	29
Children's equipment	13, 14, 15, 16, 17
Comfy handle elbow crutches	17
Commodes – toilet, shower	21
Covers – forearm	7, 8, 9
Covers – wheelchair	13
Cradle – bed	23
Crutches – aluminium, axilla, elbow, gutter	17, 18
Crutch tips	32

D

Drink holder	10, 28
Drugs chart table	29
Dry bed sheeting	22

E

Elbow crutches – adult, paediatric	17
Esi reach sticks	25

F

Feet – rubber, glide	32
Folding – back rest	24
– bed rail	23, 24
– forearm walkers	1, 6, 7, 8, 9, 14, 15
– triwalker	4
– walkers – adult	1, 2, 3, 4, 5, 7, 8, 9
– paediatric	14, 15, 16
– small	3
– walking sticks – adult	19
– paediatric	16
Foot lifter	25
Forearm – covers	7, 8, 9
– crutches	17
– walkers	1, 6, 7, 8, 9, 14, 15

G

Gas bottle holder	31
Giant walker	8, 9
Glide feet	32
Glove – arm	28
– leg	28
Grab rails	22
Grab stick	25
Grips	32
Gutter crutches – bariatric, standard	18
Gutter frames – adult	1, 6, 7, 8, 9
– paediatric	14, 15

H

Handgrips	32
Hand rails	22
Handle – chair assist	27
Handy bar	28
Hiking stick	19

I J K

Incontinence sheeting	22
IV Pole – ambulance	29
Junior rover walker	15
Knee scooter	10
Kowsky crutches	17

L

Leg glove	28
Lifting belts	30
Liquid Holster®	10, 28

M

Mats – bath, shower	22
Mattress protector sheeting	22
Metro walker	4
Mobi-Ease (swivel seat)	30
Mobility scooter gas bottle holder	31
Multi use stand – breast pump, nebulisers	29

N

Non-folding aluminium walker	5
Non-slip matting – bath, shower	22

O

Overbed tables	26, 27
Oxygen bottle holder	31

P

Paediatric equipment – crutches	17
– quadrupeds	16
– walkers	14, 15, 16
– walking stick	16
– wheelchair	13
Phlebotomy stand	29
Pole – domestic beds, electric beds	23, 24
– IV	29
Portable arm stand	29
Pram handle (paediatric walkers)	14, 15
Pulpit tops	1, 6, 7, 8, 9, 14, 15

Q

Quadrupeds – adult	18
– junior (paediatric)	16

R

Rails – bed	23, 24
– bath, grab, shower, toilet	22
Reachers	25
Rehab walkers	6, 7, 8, 9
Rover walker	1
Rubber feet	32

S

Scooter – knee	10
Sheeting – waterproof	22
Sherpa tips	32
Shower – chair, commode, mat, rail, stool	20, 21, 22
Sock and stocking aid	28
Sticks – walking	16, 19
Stools	20
Stroke balance stick	19
Super giant walker	9
Swivel seat (Mobi-Ease)	30

T

Tables – chair assist	27
– drugs chart	29
– overbed	26, 27
Tiny tot walker	14
Tips	32
Toilet frame	21
Toilet rail	22
Transfer assist belts	30
Trays – walking frames	30
Triwalker	4
Trolley – utility	25
Tubular knee scooter	10

U V

Underarm axilla crutches (adult, paediatric)	18
Utility trolley	25

W

Walker – knee	10
Walking frames – folding (adult)	1, 2, 3, 4
– forearm (standard & folding)	1, 6, 7, 8, 9
– non-folding	5
– paediatric	14, 15, 16
– rehab	6, 7, 8, 9
– small	3
Walking sticks – adult	19
– paediatric	16
Waterproof sheeting	22
Wheelchair – carrier	13
– cover	13
– tyres & tubes	31
Wheelchairs – adult	12
– paediatric	13
Wheels	31
Wrist support	31

Brook Street | PO Box 2435 | Tauranga 3140 | New Zealand
Phone/Fax 07 578 4874 | Freephone 0800 757 588
info@tubularequipment.co.nz | www.tubularequipment.co.nz

